

SUMMARY OF CHANGES TO QOF 2015/16 - ENGLAND

KEY

No change
Retired/replaced
Wording and/or timeframe change
Point or threshold change
Indicator ID change

14/15 QOF ID	15/16 QOF ID	NICE ID	Indicator wording	Changes	14/15 Points	14/15 Threshold	15/16 Points	15/16 Threshold	Indicator wording timeframe (months)	Business Rules timeframe (months)	Exception code timeframe (months)
--------------	--------------	---------	-------------------	---------	--------------	-----------------	--------------	-----------------	--------------------------------------	-----------------------------------	-----------------------------------

CLINICAL

Atrial Fibrillation (AF)											
AF001	AF001	-	The contractor establishes and maintains a register of patients with atrial fibrillation	NO CHANGE	5	-	5	-	-	-	-
AF005	-	NM45	In those patients with atrial fibrillation in whom there is a record of a CHADS ₂ score of 1 the percentage of patients who are currently treated with anti-coagulation drug therapy or anti-platelet therapy	Retired	6	57-97	-	-	12 6 (currently treated)	12 (CHADS) 6 (drugs)	12 (EXC) 3 (REG/DIAG)
AF004	-	NM46	In those patients with atrial fibrillation whose latest record of a CHADS ₂ score is greater than 1, the percentage of patients who are currently treated with anti-coagulation therapy	Replaced by NM82/AF007	6	40-70	-	-	6 (currently treated)	6 (drugs)	12 (EXC) 3 (REG/DIAG)
-	AF006	NM81	The percentage of patients with atrial fibrillation in whom stroke risk has been assessed using the CHA ₂ DS ₂ -VASc score risk stratification scoring system in the preceding 12 months (excluding those patients with a previous CHADS ₂ or CHA ₂ DS ₂ -VASc score of 2 or more)	New indicator	-	-	12	40-90	12	12	12 (EXC) 3 (REG/DIAG)
-	AF007	NM82	In those patients with atrial fibrillation with a record of a CHA ₂ DS ₂ -VASc score of 2 or more, the percentage of patients who are currently treated with anticoagulation drug therapy	Replacement	-	-	12	40-70	6 (currently treated)	6 (drugs)	12 (EXC) 3 (REG/DIAG)

Secondary prevention of coronary heart disease (CHD)											
				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
CHD001	CHD001	-	The contractor establishes and maintains a register of patients with coronary heart disease	NO CHANGE	4	-	4	-	-	-	-
CHD002	CHD002	-	The percentage of patients with coronary heart disease in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less	NO CHANGE	17	53-93	17	53-93	12	12	12 (EXC) 9 (REG/DIAG)
CHD005	CHD005	-	The percentage of patients with coronary heart disease with a record in the preceding 12 months that aspirin, an alternative anti-platelet therapy, or an anti-coagulant is being taken	NO CHANGE	7	56-96	7	56-96	12	12	12 (EXC) 3 (REG/DIAG)
CHD007	CHD007	-	The percentage of patients with coronary heart disease who have had influenza immunisation in the preceding 1 August to 31 March	NO CHANGE	7	56-96	7	56-96	1 Aug to 31 Mar	1 Aug to 31 Mar	12 (EXC) 3 (REG/DIAG)
CHD006	-	NM07	The percentage of patients with a history of myocardial infarction (on or after 1 April 2011) currently treated with an ACE-I (or ARB if ACE-I intolerant), aspirin or an alternative anti-platelet therapy, beta-blocker and statin	Retired	10	60-100	-	-	-	-	-

Heart failure (HF)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
HF001	HF001	-	The contractor establishes and maintains a register of patients with heart failure	NO CHANGE	4	-	4	-	-	-	-
HF002	HF002	-	The percentage of patients with a diagnosis of heart failure (diagnosed on or after 1 April 2006) which has been confirmed by an echocardiogram or by specialist assessment 3 months before or 12 months after entering on to the register	NO CHANGE	6	50-90	6	50-90	From 1 April 2006	From 1 April 2006	12 (EXC) 3 (REG/DIAG) +12 (ECEXC)
HF003	HF003	-	In those patients with a current diagnosis of heart failure due to left ventricular systolic dysfunction, the percentage of patients who are currently treated with an ACE-I or ARB	NO CHANGE	10	60-100	10	60-100	6 (currently treated)	6 (drugs)	12 (EXC) 3 (REG/DIAG)
HF004	HF004	-	In those patients with a current diagnosis of heart failure due to left ventricular systolic dysfunction who are currently treated with an ACE-I or ARB, the percentage of patients who are additionally currently treated with a beta-blocker licensed for heart failure	NO CHANGE	9	40-65	9	40-65	6 (currently treated)	6 (drugs)	12 (EXC) 3 (REG/DIAG)

Hypertension (HYP)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
HYP001	HYP001	-	The contractor establishes and maintains a register of patients with established hypertension	NO CHANGE	6	-	6	-	-	-	-
HYP006	HYP006	-	The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less	NO CHANGE	20	45-80	20	45-80	12	12	12 (EXC) 9 (REG/DIAG)

Peripheral arterial disease (PAD)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
PAD001	PAD001	NM32	The contractor establishes and maintains a register of patients with peripheral arterial disease	NO CHANGE	2	-	2	-	-	-	-
PAD002	PAD002	NM34	The percentage of patients with peripheral arterial disease in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less	NO CHANGE	2	40-90	2	40-90	12	12	12 (EXC) 9 (REG/DIAG)
PAD004	PAD004	NM33	The percentage of patients with peripheral arterial disease with a record in the preceding 12 months that aspirin or an alternative anti-platelet is being taken	NO CHANGE	2	40-90	2	40-90	12 (being taken)	12 (drugs)	12 (EXC) 3 (REG/DIAG)

Stroke and transient ischaemic attack (STIA)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
STIA001	STIA001	-	The contractor establishes and maintains a register of patients with stroke or TIA	NO CHANGE	2	-	2	-	-	-	-
STIA008	STIA008	-	The percentage of patients with a stroke or TIA (diagnosed on or after 1 April 2014) who have a record of a referral for further investigation between 3 months before or 1 month after the date of the latest recorded stroke or the first TIA	NO CHANGE	2	45-80	2	45-80	-	From 1 April 2014 +1 (SCAN_DAT)	12 (EXC) 3 (REG/DIAG)
STIA003	STIA003	-	The percentage of patients with a history of stroke or TIA in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less	NO CHANGE	5	40-75	5	40-75	12	12	12 (EXC) 9 (REG/DIAG)
STIA007	STIA007	-	The percentage of patients with a stroke shown to be non-haemorrhagic, or a history of TIA, who have a record in the preceding 12 months that an anti-platelet agent, or an anti-coagulant is being taken	NO CHANGE	4	57-97	4	57-97	12 (being taken)	12 (drugs)	12 (EXC) 3 (REG/DIAG)
STIA009	STIA009	-	The percentage of patients with stroke or TIA who have had influenza immunisation in the preceding 1 August to 31 March	NO CHANGE	2	55-95	2	55-95	1 Aug to 31 Mar	1 Aug to 31 Mar	12 (EXC) 3 (REG/DIAG)

Diabetes mellitus (DM)			Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
DM017	DM017	NM41	The contractor establishes and maintains a register of all patients aged 17 or over with diabetes mellitus, which specifies the type of diabetes where a diagnosis has been confirmed	NO CHANGE	6	-	6	-	-	-
DM002	DM002	NM01	The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less	NO CHANGE	8	53-93	8	53-93	12 (the last)	12 (EXC) 9 (REG/DIAG)
DM003	DM003	NM02	The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less	NO CHANGE	10	38-78	10	38-78	12 (the last)	12 (EXC) 9 (REG/DIAG)
DM004	DM004	-	The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less	NO CHANGE	6	40-75	6	40-75	12	12 (EXC) 9 (REG/DIAG)
DM006	DM006	-	The percentage of patients with diabetes, on the register, with a diagnosis of nephropathy (clinical proteinuria) or micro-albuminuria who are currently treated with ACE-I (or ARBs)	NO CHANGE	3	57-97	3	57-97	-	12 (EXC) 3 (REG/DIAG)
DM007	DM007	NM14	The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 59 mmol/mol or less in the preceding 12 months	NO CHANGE	17	35-75	17	35-75	12	12 (EXC) 9 (REG/DIAG)
DM008	DM008	-	The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months	NO CHANGE	8	43-83	8	43-83	12	12 (EXC) 9 (REG/DIAG)
DM009	DM009	-	The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 75 mmol/mol or less in the preceding 12 months	NO CHANGE	10	52-92	10	52-92	12	12 (EXC) 9 (REG/DIAG)
DM012	DM012	NM13	The percentage of patients with diabetes, on the register, with a record of a foot examination and risk classification: 1) low risk (normal sensation, palpable pulses), 2) increased risk (neuropathy or absent pulses), 3) high risk (neuropathy or absent pulses plus deformity or skin changes in previous ulcer) or 4) ulcerated foot within the preceding 12 months	NO CHANGE	4	50-90	4	50-90	12	12 (EXC) 3 (REG/DIAG)
DM014	DM014	NM27	The percentage of patients newly diagnosed with diabetes, on the register, in the preceding 1 April to 31 March who have a record of being referred to a structured education programme within 9 months after entry on to the diabetes register	NO CHANGE	11	40-90	11	40-90	1 April to 31 March 9	21 (12+9) 12 (EXC) 3 (REG/DIAG)
DM018	DM018	-	The percentage of patients with diabetes, on the register, who have had influenza immunisation in the preceding 1 August to 31 March	NO CHANGE	3	55-95	3	55-95	1 Aug to 31 Mar	1 Aug to 31 Mar 12 (EXC) 3 (REG/DIAG)

Asthma (AST)			Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
AST001	AST001	-	The contractor establishes and maintains a register of patients with asthma, excluding patients with asthma who have been prescribed no asthma-related drugs in the preceding 12 months	NO CHANGE	4	-	4	-	-	-
AST002	AST002	-	The percentage of patients aged 8 or over with asthma (diagnosed on or after 1 April 2006), on the register, with measures of variability or reversibility recorded between 3 months before and or anytime after diagnosis	NO CHANGE	15	45-80	15	45-80	From 1 April 2006	From 1 April 2006 3 (ASTSPIR/PEFR)
AST003	AST003	NM23	The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP	NO CHANGE	20	45-70	20	45-70	12	12 12 (EXC) 3 (REG/DIAG)
AST004	AST004	-	The percentage of patients with asthma aged 14 or over and who have not attained the age of 20, on the register, in whom there is a record of smoking status in the preceding 12 months	NO CHANGE	6	45-80	6	45-80	12	12 (EXC) 3 (REG/DIAG)

Chronic obstructive pulmonary disease (COPD)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
COPD001	COPD001	-	The contractor establishes and maintains a register of patients with COPD	NO CHANGE	3	-	3	-	-	-	-
COPD002	COPD002	-	The percentage of patients with COPD (diagnosed on or after 1 April 2011) in whom the diagnosis has been confirmed by post bronchodilator spirometry between 3 months before and 12 months after entering on to the register	NO CHANGE	5	45-80	5	45-80	From 1 April 2011	From 1 April 2011 COPDSPIR -3 COPDSPIR +12	12 (EXC) 3 (REG/DIAG)
COPD003	COPD003	-	The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months	NO CHANGE	9	50-90	9	50-90	12	12	12 (EXC) 3 (REG/DIAG)
COPD004	COPD004	-	The percentage of patients with COPD with a record of FEV ₁ in the preceding 12 months	NO CHANGE	7	40-75	7	40-75	12	12	12 (EXC) 3 (REG/DIAG)
COPD005	COPD005	NM63	The percentage of patients with COPD and Medical Research Council dyspnoea grade ≥3 at any time in the preceding 12 months, with a record of oxygen saturation value within the preceding 12 months	NO CHANGE	5	40-90	5	40-90	12	12	12 (EXC) 3 (REG/DIAG)
COPD007	COPD007	-	The percentage of patients with COPD who have had influenza immunisation in the preceding 1 August to 31 March	NO CHANGE	6	57-97	6	57-97	1 Aug to 31 Mar	1 Aug to 31 Mar	12 (EXC) 3 (REG/DIAG)

Dementia (DEM)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
DEM001	DEM001	-	The contractor establishes and maintains a register of patients diagnosed with dementia	NO CHANGE	5	-	5	-	-	-	-
DEM002	DEM004	-	The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months	Wording and points change	15	35-70	39	35-70	12	12	12 (EXC) 3 (REG/DIAG)
DEM003	DEM005	Based on NM09	The percentage of patients with a new diagnosis of dementia recorded in the preceding 1 April to 31 March with a record of FBC, calcium, glucose, renal and liver function, thyroid function tests, serum vitamin B12 and folate levels recorded between 12 6-months before or 6 months after entering on to the register	Wording and timeframe change	6	45-80	6	45-80	1 April to 31 March 12 months before/6 months after	18 12 and 6 18 (tests)	12 (EXC) 3 (REG/DIAG)

Depression (DEP)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
DEP003	DEP003	NM50	The percentage of patients aged 18 or over with a new diagnosis of depression in the preceding 1 April to 31 March, who have been reviewed not earlier than 10 days after and not later than 56 days after the date of diagnosis	NO CHANGE	10	45-80	10	45-80	1 April to 31 March 10-56 days	15 DEPRVW + 10-56 days (from DEPR)	12 (EXC) 3 (REG/DIAG)

Mental Health (MH)			Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame	
MH001	MH001	-	The contractor establishes and maintains a register of patients with schizophrenia, bipolar affective disorder and other psychoses and other patients on lithium therapy	NO CHANGE	4	-	4	-	-	-	
MH002	MH002	-	The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive care plan documented in the record, in the preceding 12 months, agreed between individuals, their family and/or carers as appropriate	NO CHANGE	6	40-90	6	40-90	12	12	12 (EXC) 3 (REG/DIAG)
MH003	MH003	NM17	The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a record of blood pressure in the preceding 12 months	NO CHANGE	4	50-90	4	50-90	12	12	12 (EXC) 3 (REG/DIAG)
MH007	MH007	NM15	The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a record of alcohol consumption in the preceding 12 months	NO CHANGE	4	50-90	4	50-90	12	12	12 (EXC) 3 (REG/DIAG)
MH008	MH008	NM20	The percentage of women aged 25 or over and who have not attained the age of 65 with schizophrenia, bipolar affective disorder and other psychoses whose notes record that a cervical screening test has been performed in the preceding 5 years	NO CHANGE	5	45-80	5	45-80	5 years	5 years	5 years (CYTEXC) 12 (MHXC) 3 (REG/DIAG)
MH009	MH009	NM21	The percentage of patients on lithium therapy with a record of serum creatinine and TSH in the preceding 9 months	NO CHANGE	1	50-90	1	50-90	9	6 (LIT_DAT) 9	12 (EXC) 3 (REG/DIAG)
MH010	MH010	NM22	The percentage of patients on lithium therapy with a record of lithium levels in the therapeutic range in the preceding 4 months	NO CHANGE	2	50-90	2	50-90	4	6 (LIT_DAT) 4	12 (EXC) 9 (REG/DIAG)

Cancer (CAN)			Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame	
CAN001	CAN001	-	The contractor establishes and maintains a register of all cancer patients defined as a 'register of patients with a diagnosis of cancer excluding non-melanotic skin cancers diagnosed on or after 1 April 2003'	NO CHANGE	5	-	5	-	From 1 April 2003	-	-
CAN003	CAN003	NM62	The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis	NO CHANGE	6	50-90	6	50-90	15 6	15 6	12 (EXC) 3 (REG/DIAG)

Chronic kidney disease (CKD)			Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame	
CKD001	CKD005	Based on NM83	The contractor establishes and maintains a register of patients aged 18 or over with CKD (US National Kidney Foundation) with classification of categories G3a to G5 (previously stage 3 to 5)	Wording change	6	-	6	-	-	-	-
CKD002	-	-	The percentage of patients on the CKD register in whom the last blood pressure reading (measured in the preceding 12 months) is 140/85 mmHg or less	Retired	11	41-81	-	-	12	12	12 (EXC) 9 (REG/DIAG)
CKD003	-	-	The percentage of patients on the CKD register with hypertension and proteinuria who are currently treated with an ACE-I or ARB	Retired	9	45-80	-	-	Currently treated (6)	6 (drugs)	12 (EXC) 3 (REG/DIAG)
CKD004	-	-	The percentage of patients on the CKD register whose notes have a record of a urine albumin:creatinine ratio (or protein:creatinine ratio) test in the preceding 12 months	Retired	6	45-80	-	-	12	12	12 (EXC) 3 (REG/DIAG)

Epilepsy (EP)			Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame	
EP001	EP001	-	The contractor establishes and maintains a register of patients aged 18 or over receiving drug treatment for epilepsy	NO CHANGE	1	-	1	-	-	-	-

Learning disability (LD)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
LD001	LD003	-	The contractor establishes and maintains a register of patients with learning disabilities	NO CHANGE	4	-	4	-	-	-	-

Osteoporosis: secondary prevention of fragility fractures (OST)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
OST004	OST004	NM29	The contractor establishes and maintains a register of patients: 1. Aged 50 or over and who have not attained the age of 75 with a record of a fragility fracture on or after 1 April 2012 and a diagnosis of osteoporosis confirmed on DXA scan, and 2. Aged 75 or over with a record of a fragility fracture on or after 1 April 2014 and a diagnosis of osteoporosis	NO CHANGE	3	-	3	-	From 1 April 2012	-	-
OST002	OST002	NM30	The percentage of patients aged 50 or over and who have not attained the age of 75, with a fragility fracture on or after 1 April 2012, in whom osteoporosis is confirmed on DXA scan, who are currently treated with an appropriate bone-sparing agent	NO CHANGE	3	30-60	3	30-60	Currently treated (6)	6 (drugs)	12 (EXC) 3 (REG/DIAG)
OST005	OST005	NM31	The percentage of patients aged 75 or over with a record of a fragility fracture on or after 1 April 2014 and a diagnosis of osteoporosis, who are currently treated with an appropriate bone-sparing agent	NO CHANGE	3	30-60	3	30-60	Currently treated (6)	6 (drugs)	12 (EXC) 3 (REG/DIAG)

Rheumatoid arthritis (RA)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
RA001	RA001	NM55	The contractor establishes and maintains a register of patients aged 16 or over with rheumatoid arthritis	NO CHANGE	1	-	1	-	-	-	-
RA002	RA002	NM58	The percentage of patients with rheumatoid arthritis, on the register, who have had a face-to-face review in the preceding 12 months	NO CHANGE	5	40-90	5	40-90	12	12	12 (EXC) 3 (REG/DIAG)

Palliative care (PC)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
PC001	PC001	-	The contractor establishes and maintains a register of all patients in need of palliative care/support irrespective of age	NO CHANGE	3	-	3	-	-	-	-
PC002	PC002	-	The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed	NO CHANGE	3	-	3	-	-	-	-

PUBLIC HEALTH DOMAIN

Cardiovascular disease - primary prevention (CVD-PP)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
CVD-PP001	CVD-PP001	NM26	In those patients with a new diagnosis of hypertension aged 30 or over and who have not attained the age of 75, recorded between the preceding 1 April to 31 March (excluding those with pre-existing CHD, diabetes, stroke and/or TIA), who have a recorded CVD risk assessment score (using an assessment tool agreed with the NHS CB) of $\geq 20\%$ in the preceding 12 months: the percentage who are currently treated with statins	NO CHANGE	10	40-90	10	40-90	1 April to 31 March 12 Currently treated (6)	12 6 (drugs)	12 (EXC) 3 (REG/DIAG)

Blood pressure (BP)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
BP002	BP002	NM61	The percentage of patients aged 45 or over who have a record of blood pressure in the preceding 5 years	NO CHANGE	15	50-90	15	50-90	5 years	5 years	3 (REG)

Obesity (OB)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
OB001	OB002	NM85	The contractor establishes and maintains a register of patients aged 18 46 years or over with a BMI ≥30 in the preceding 12 months	Wording change	8	-	8	-	12	12	-

Smoking (SMOK)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
SMOK002	SMOK002	NM38	The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months	NO CHANGE	25	50-90	25	50-90	12	12 Non-smoker rules Ex-smoker rules	12 (EXC) 3 (REG/DIAG)
SMOK003	SMOK003	-	The contractor supports patients who smoke in stopping smoking by a strategy which includes providing literature and offering appropriate therapy	NO CHANGE	2	-	2	-	-	-	-
SMOK004	SMOK004	NM40	The percentage of patients aged 15 or over who are recorded as current smokers who have a record of an offer of support and treatment within the preceding 24 months	NO CHANGE	12	40-90	12	40-90	24	24	12 (EXC) 3 (REG)
SMOK005	SMOK005	NM39	The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses who are recorded as current smokers who have a record of an offer of support and treatment within the preceding 12 months	NO CHANGE	25	56-96	25	56-96	12	12	12 (EXC) 3 (REG/DIAG)

Cervical Screening (CS)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
CS001	CS001	-	The contractor has a protocol that is in line with national guidance agreed with the NHS CB for the management of cervical screening, which includes staff training, management of patient call/recall, exception reporting and the regular monitoring of inadequate sample rates	NO CHANGE	7	-	7	-	-	-	-
CS002	CS002	-	The percentage of women aged 25 or over and who have not attained the age of 65 whose notes record that a cervical screening test has been performed in the preceding 5 years	NO CHANGE	11	45-80	11	45-80	5 years	5 years	5 years (CYTEXC) 3 (REG)
CS004	CS004	-	The contractor has a policy for auditing its cervical screening service; and performs an audit of inadequate cervical screening tests in relation to individual sample takers at least every 2 years	NO CHANGE	2	-	2	-	-	-	-

Contraception (CON)				Changes	14/15 Pts	14/15 TH	15/16 Pts	15/16 TH	Wdg t'frame	BR t'frame	ER t'frame
CON001	CON001	-	The contractor establishes and maintains a register of women aged 54 or under who have been prescribed any method of contraception at least once in the last year, or other clinically appropriate interval e.g. last 5 years for an IUS	NO CHANGE	4	-	4	-	5 years	Appropriate interval	-
CON003	CON003	-	The percentage of women, on the register, prescribed emergency hormonal contraception one or more times in the preceding 12 months by the contractor who have received information from the contractor about long acting reversible methods of contraception at the time of or within 1 month of the	NO CHANGE	3	50-90	3	50-90	12 1 month	13 12 +1	12 (EXC) 3 (REG)